journal of
controlled
release



Vol. 28, Nos. 1–3

CONTENTS

JANUARY 1994

Abstracted/indexed in: Biosciences Information Service; Chemical Abstracts; Current Contents: Life Sciences; Excerpta Medica; International Pharmaceutical Abstracts; Polymer Contents; Current Awareness in Biological Sciences (CABS); CABS Abstracts

Special Issue
Proceedings of the Sixth International Symposium
on Recent Advances in Drug Delivery Systems

Novel Drug Delivery Systems

Biologically engineered microstructures: controlled release applications
J.M. Schnur, R. Price and A.S. Rudolph (Washington, DC, USA) 3
New approaches to targeting bioactive compounds
A.V. Kabanov and V.Yu. Alakhov (Moscow, Russia) 15
Mucosal delivery of macromolecules
C.D. Ebert, S.J. Heiber, S. Dave, S.W. Kim and D. Mix (Salt Lake City, UT, USA) 37
Targeted delivery of diagnostic agents by surface-modified liposomes
V.P. Torchilin, V.S. Trubetskoy, A.M. Milshteyn, J. Canillo, G.L. Wolf, M.I. Papisov, A.A. Bogdanov (Charlestown, MA, USA), J. Narula, B.A. Khaw (Boston, MA, USA) and V.G. Omelyanenko (Salt Lake City, UT, USA) 45
Influencing factors on in vitro micelle stability of adriamycin-block copolymer conjugates
M. Yokoyama, G.S. Kwon, T. Okano, Y. Sakurai (Tokyo, Japan), M. Naito and K. Kataoka (Chiba, Japan) 59
SK&F 110679: comparison of absorption following oral or respiratory administration
P.L. Smith, S.E. Yeulet, D.R. Citerone, F. Drake, M. Cook, D.A. Wall and J. Marcello (King of Prussia, PA, USA) 67
Bioavailability of pulmonary delivered peptides and proteins: α-interferon, calcitonins and parathyroid hormones
J.S. Patton (Palo Alto, CA, USA), P. Trinchero (Gilroy, CA, USA) and R.M. Platz (Palo Alto, CA, USA) 79
Vaginal and reproductive system treatments using a bioadhesive polymer
J.R. Robinson (Madison, WI, USA) and W.J. Bologna (Paris, France) 87

Peptide and Protein Delivery

Paracellular transport of a proteolytically labile pentapeptide across the colonic and other intestinal segments of the albino rabbit: implications for peptide drug design
W.-C. Yen and V.H.L. Lee (Los Angeles, CA, USA) 97
Control of the disposition profiles of proteins in the kidney via chemical modification
Y. Takakura, K. Mihara and M. Hashida (Kyoto, Japan) 111
Drug delivery using biodegradable microspheres
H. Okada, M. Yamamoto, T. Heya, Y. Inoue, S. Kamei, Y. Ogawa and H. Toguchi (Osaka, Japan) 121
Biodegradable microspheres for the delivery of oral vaccines
J. Mestecky, Z. Moldoveanu, M. Novak, W.-Q. Huang, R.M. Gilley, J.K. Staas, D. Schafer and R.W. Compans (Birmingham, AL, USA) 131
pH/Temperature-sensitive polymers for macromolecular drug loading and release
Y.-H. Kim, Y.H. Bae and S.W. Kim (Salt Lake City, UT, USA) 143

Targetting and Cellular Recognition in Drug Delivery

Antibodies as targeting moieties: affinity measurements, conjugation chemistry and applications in immunoliposomes
J.N. Herron, C.A. Gentry, S.S. Davies, A. Wei and J. Lin (Salt Lake City, UT, USA) 155
Approaches to improved antibody- and peptide-mediated targeting for imaging and therapy of cancer
A.R. Fritzberg, P.L. Beaumier, B.J. Bottino and J.M. Reno (Seattle, WA, USA) 167
Bacterial cell killing by antibody targeted photolysis: enhanced effect by OH radical generation
L. Strong, X.-M. Lu, R.G. Tompkins and M.L. Yarmush (Boston, MA, USA) 175
Antibody-directed enzyme prodrug therapy (Adept)
K.D. Bagshawe (London England, UK) 187
Targeting the vasculature of solid tumors
F.J. Burrows and P.E. Thorpe (Dallas, TX, USA) 195
Synthesis of the conjugate of superoxide dismutase with the copolymer of divinyl ether and maleic anhydride retaining enzymatic activity
T. Hirano, T. Todoroki, S. Kato, H. Yamamoto (Tsukuba, Japan), P. Caliceti, F. Veronese (Padova, Italy), H. Maeda (Kumamoto, Japan) and S. Ohashi (Tsukuba, Japan) 203
Bioadhesive *N*-(2-hydroxypropyl)methacrylamide copolymers for colon-specific drug delivery
P. Kopečková, R. Rathi, S. Takada, B. Říhová, M.M. Berenson and J. Kopeček (Salt Lake City, UT, USA) 211
Lactose-carrying polystyrene as a drug carrier: investigation of body distributions to parenchymal liver cells using ^{125}I-labelled lactose-carrying polystyrene
M. Goto, H. Yura, C.-W. Chang, A. Kobayashi (Kanagawa, Japan), T. Shinoda, A. Maeda, S. Kojima (Shizuoka, Japan), K. Kobayashi (Nagoya, Japan) and T. Akaike (Kanagawa, Japan) 223
Induction of drug specific antibody and the controlled release of drug by 6-*O*-carboxymethyl-chitin
S. Tokura, Y. Miura, M. Johmen, N. Nishi and S.-I. Nishimura (Sapporo, Japan) 235
Recent clinical studies on lipo-PGE_1 and lipo-PGI_2: PGE_1 and PGI_2 incorporated in lipid microspheres, for targeted delivery
Y. Mizushima (Kawasaki, Japan), T. Toyota (Sendai, Japan), K. Okita (Ube, Japan) and E. Ohtomo (Tokyo, Japan) 243

Drug Delivery to the Brain

Encapsulated cells for sustained neurotransmitter delivery to the central nervous system
P.A. Tresco (Salt Lake City, UT, USA) 253
Drug transport to the brain: in vitro versus in vivo approaches
A.G. De Boer, H.E. De Vries, E.C.M. De Lange, M. Danhof, J. Kuiper and D.D. Breimer (Leiden, The Netherlands) 259

Posters

Transmembrane Transport

Buccal administration of erythrocyte-ghosts-insulin in rats
A. Al-Achi, R. Greenwood and B. Waler (Buies Creek, NC, USA) 267
In vivo buccal delivery of calcitonin
S.J. Heiber, C.D. Ebert, S.C. Dave, K. Smith, S.W. Kim and D. Mix (Salt Lake City, UT, USA) 269
Investigating the bioadhesive properties of polymer patches for buccal drug delivery
J.-H. Guo (St. Paul, MN, USA) 272
Diffusion rates and transport pathways of FITC-labelled model compounds through buccal epithelium
A.J. Hoogstraate, C. Cullander, S. Senel, J.C. Verhoef, H.E. Bodde and H.E. Junginger (Leiden, The Netherlands) 274
Enhancing effects of various structures of unsaturated fatty acids on the percutaneous permeation of indomethacin
K. Morimoto, H. Tojima, M. Kakemi and M. Suzuki (Osaka, Japan) 275
Selective extraction of stratum corneum components to probe mechanisms of enhanced percutaneous absorption
R. Oakeson, C.Y. Goates and K. Knutson (Salt Lake City, UT, USA) 277
Study on transdermal sodium nitroprusside delivery system
B.Q. Ji, C.M. Jiang, T.H. Gu and Z.Y. Zhang (Shanghai, People's Repubic of China) 279
Water soluble pilocarpine prodrugs with sustained intraocular activity in normotensive rabbits and in glaucomatous beagles
P. Druzgala and N. Bodor (Alachua, FL, USA) 282
Transport of small peptides across rat alveolar epithelial cell monolayers
K. Morimoto, H. Yamahara, K.J. Kim, E.D. Crandall and V.H.L. Lee (Los Angeles, CA, USA) 284

Receptor-mediated absorption of dextran and synthetic glucose-containing polymer from the intestinal tract
Y. Koyama, T. Miyagawa, H. Suzuki, A. Kawaide and K. Kataoka (Chiba, Japan) 286
Effect of polycarbophil on the paracellular permeability of a hydrophilic model compound after application on a CACO-2 cell line
H.L. Lueßen, A.B.J. Noach, A.G. de Boer, J.C. Verhoef and H.E. Junginger (Leiden, The Netherlands) 288
Use of a lipid carrier to deliver calcitonin via the small intestine
R.R.C. New, P. Guard, P. Hotten, D. Stevens, R. Harris, T. Shepherd and M.J. Flynn (Isleworth, Middlesex, UK) 289

Oral and Parenteral Delivery

Intravenous carriers for drug delivery to lymph nodes
M.I. Papisov, R. Weissleder, B. Schaffer, A.A. Bogdanov, Jr. and T.J. Brady (Charlestown, MA, USA) 293
Targeted conjugate between antimyosin and radiolabeled chelating polymer: influence of single site FAB-polymer bond on the conjugate performance
V.S. Trubetskoy, V.P. Torchilin, J. Narula and B.A. Khaw (Charlestown, MA, USA) 295
Stereocopolymers for parenteral sustained-release of peptides: release of GRF29NH_2 from a PLA/GA matrix
B. Mariette, M. Vert and J. Coudane (Montepellier, France) 297

Biopharmaceutics

The effect of charge on the biodistribution of synthetic branched polypeptides in tumour bearing mice
F. Hudecz, Y. Kojima, Y. Miyamoto, J. Kajtár and H. Maeda (Budapest, Hungary) 301
Comparative in vivo and in vitro distribution of daunoxome and daunorubicin in P1798 lymphosarcoma cells
J. Adler-Moore, G. Fujii, E.A. Forssen, M.J.A. Lee, A. Bailey, D.M. Coulter and T. Buch (San Dimas, CA, USA) 303
Biopharmaceutics and pharmacokinetics of [D-Ala_2-D-Leu_5]enkephalin after various routes of administration
H.J. Lee, G.L. Amidon and L.Y. Yek (Ann Arbor, MI, USA) 305
Greatly enhanced oral bioavailability of propranolol using the HALO™ liver-bypass drug delivery system
S.G. Barnwell, L. Gauci, R.J. Harris, D. Attwood, G. Littlewood, P. Guard, M.E. Pickup and P. Barrington (Fort Lee, NJ, USA) 306

Novel Therapeutic Delivery Systems

Novel, long-acting and selective physostigmine analogues as potential therapeutics for Alzheimer's Disease
N.H. Grieg, A. Brossi, T.T. Soncrant, H.W. Holloway, X.F. Pei, S.I. Rapoport and D.K. Ingram (Bethesda, MD, USA) 313
Lecitinized superoxide dismutase: an effective drug delivery system
R. Igarashi, J. Hoshino, M. Takenaga, S. Kawai, Y. Morizawa, A. Yasuda and Y. Mizushima (Kawasaki, Japan) 314
Two derivatives of poly(acrylic acid) are able to inhibit trypsin activity
H.L. Lueßen, J.C. Verhoef, C.-M. Lehr, A.G. de Boer, H.E. Junginger (Leiden, The Netherlands) 316
Controlled release of insulin from boronic acid gel under physiological conditions
D. Shiino, K. Kataoka, Y. Koyama, M. Yokoyama, T. Okano and Y. Sakurai (Chiba, Japan) 317
Novel thermo-responsive amphiphilic poly(*N*-isopropylacrylamide-co-sodium acrlyate-co-*N*-alkylacrylamide) networks
D.W. Grainger and H. Yu (Beaverton, OR, USA) 319
Delivery of cytotoxic drugs to cancer patients using low density lipoprotein
A.S. Breeze, L. Gauci, D. Filipowska and T. Laudanski (Fort Lee, NJ, USA) 321
Development and clinical evaluation of double-phased suppositories of progesterone with sustained release property
M. Iwata, S. Shirotake, F. Hirahara, H. Minaguchi, Y. Machida and T. Nagai (Kanagawa, Japan) 323
Macromolecular complexone for detection of microvasculature by magnetic resonance angiography
A. Bogdanov, Jr., R. Weissleder, E. Tsai, B. Schaffer, A. Bogdanova, N. Nossiff, M. Papisov and T. Brady (Boston, MA, USA) 325
Cripdom controlled delivery system for aspirin
V. Azurree and J.P. Selles (Falls Church, VA, USA) 327

Liposome and Microsphere Transport and Delivery

Effect of lipid bilayer phase structure on solute partitioning
M.T. Marra-Feil and K. Knutson (Salt Lake City, UT, USA) 331
Enhanced tumor accumulation and prolonged circulation times of micelle-forming poly(ethylene oxide-aspartate) block copolymer-adriamycin conjugates
G.S. Kwon, M. Yokoyama, T. Okano, Y. Sakurai and K. Kataoka (Chiba, Japan) 334

In vivo antitumor activity of polymeric micelle anticancer drug against murine C 26 tumor
M. Yokoyama, G.S. Kwon, T. Okano, Y. Sakurai, H. Ekimoto and K. Kataoka (Tokyo, Japan) 336
Method for assessing the stability of proteinoid microspheres
R.A. Baughman, S. Haas, S. Milstein and N. Santiago (Hawthorne, NY, USA) 338
Screening candidate microsphere formulations by incubating in simulated digestive fluids
R.A. Baughman, S. Haas, S. Milstein and N. Santiago (Hawthorne, NY, USA) 340
Stability and mode of action of Ambiosome^{R} (liposomal amphotericin B)
R.T. Proffitt, J. Adler-Moore, G. Fujii, A. Satorius, M.J.A. Lee and A. Bailey (San Dimas, CA, USA) 342
Application of lipid microspheres to prepare a thromboxane A_2 receptor antagonist inhaler
M. Takenaga, T. Nakagawa, R. Igarashi and Y. Mizushima (Kawasaki, Japan) 344
Aerosolization of liposomal (Ambiosome^{R}) and non-liposomal (Fungizone^{R}) amphotericin B as a treatment for pulmonary fungal infections
K.N. Sorensen, S.D. Allen, M.J. Nejdl and R.T. Proffitt (San Dimas, CA, USA) 346
Efficacy of aerosolized liposomal amphotericin B (Ambiosome^{R}) as a prophylactic treatment in an immune compromised murine model of pulmonary aspergillosis
S.D. Allen, K.N. Sorensen, M.J. Nejdl and R.T. Proffitt (San Dimas, CA, USA) 348
Efficacy of albendazole administered orally is improved by encapsulation in liposomes
R.R.C. New, H. Wen, P.S. Craig, P.F. Zou, A. Merdan, J.H. Wang, Y.H. Wang, P. Wang and H. Zhang (Middlesex, UK) 350
Lipid nano-sphere (LNS), a protein-free analogue of lipoproteins, as a novel drug carrier for parenteral administration, IV.
J. Seki, H. Sasaki, M. Doi, H. Yoshikawa, Y. Takashashi, S. Yamane, H. Fukui, S. Sonoke, H. Yamamoto, M. Hirose, Y. Ezure, T. Ando, K. Ushimaru and M. Sugiyama (Kyoto, Japan) 352
Microencapsulation of mitomycin C for controlled delivery and targeting
T.L. Whateley, J.G. Eley, I. Crossan, P.B. Deasy (Glasgow, Scotland) 354

Author Index 357
Subject Index 359
News 363
Calendar 377